




MOTORS & GEARBOXES



YOUR PARTNER IN
POWER TRANSMISSION




THREE PHASE MOTORS

POWER:- 0.18 Kw to 22 kw (0.25 HP to 30 HP)
FRAME SIZE:- 63 to 180 L
POLARITY:- 2, 4, 6 & 8
MOUNTING:- B3, B5, B14 & COMBINATIONS
VOLTAGE:- 415 V $\pm$ 10% or as required
FREQUENCY:- 50 Hz $\pm$ 5% or as required

SINGLE PHASE MOTORS

POWER:- 0.18 Kw to 2.2 kw (0.25 HP to 3 HP)
FRAME SIZE:- 63 to 100 M
POLARITY:- 2 & 4
MOUNTING:- B3, B5, B14 & COMBINATIONS
VOLTAGE:- 230 V $\pm$ 10% or as required
FREQUENCY:- 50 Hz $\pm$ 5% or as required




DUAL/MULTI SPEED MOTORS

POWER:- 0.18 Kw to 15 kw (0.25 HP to 20 HP)
FRAME SIZE:- 63 to 180 L
POLARITY:- 4/2, 8/4, 6/4, 8/6 & Others
MOUNTING:- B3, B5, B14 & COMBINATIONS
VOLTAGE:- 415 V $\pm$ 10% or as required
FREQUENCY:- 50 Hz $\pm$ 5% or as required



DC BRAKE MOTORS

POWER:- 0.18 Kw to 22 kw (0.25 HP to 30 HP)
FRAME SIZE:- 63 to 180 L
POLARITY:- 2, 4, 6 & 8
MOUNTING:- B3, B5, B14 & COMBINATIONS
VOLTAGE:- 415 V $\pm$ 10% or as required
FREQUENCY:- 50 Hz $\pm$ 5% or as required




AC BRAKE MOTORS

POWER:- 0.18 Kw to 22 kw (0.25 HP to 30 HP)
FRAME SIZE:- 63 to 180 L
POLARITY:- 2, 4, 6 & 8
MOUNTING:- B3, B5, B14 & COMBINATIONS
VOLTAGE:- 415 V $\pm$ 10% or as required
FREQUENCY:- 50 Hz $\pm$ 5% or as required



CRANE DUTY MOTORS

POWER:-	0.18 Kw to 15 kw (0.25 HP to 20 HP)
FRAME SIZE:-	63 to 180 L
POLARITY:-	2, 4, 6, & 8
MOUNTING:-	B3, B5, B14 & COMBINATIONS
VOLTAGE:-	415 V $\pm$ 10% or as required
DUTY CYCLE:-	S3, S4 & Other




COOLING TOWER MOTORS

POWER:-	0.37 Kw to 15 kw (0.50 HP to 20 HP)
FRAME SIZE:-	63 to 200 L
POLARITY:-	4, 6, 8 & 10
MOUNTING:-	B5
VOLTAGE:-	415 V $\pm$ 10% or as required
FREQUENCY:-	50 Hz $\pm$ 5% or as required




PLANETARY GEARBOXES

MODEL :-	15010 - 65171
RATIO :-	1:1 upto Customer Demand
INPUT POWER:-	0.18 kw to 315 kw (0.25 HP TO 425 HP)
MOUNTING :-	FOOT, FLANGE, Agitator
RATED TORQUE :-	0.38 KG.M to 1,23,360 KG.M
INPUT:-	Hollow to Suit Electric Motor (63 FS to 355 FS) & Solid Shaft




BEVEL PLANETARY GEARBOXES


MODEL:-	B70P15010 - B240P45151
RATIO:-	1:1 upto Customer Demand
INPUT POWER:-	0.18 kw to 315 kw (0.25 HP TO 425 HP)
MOUNTING:-	FOOT, FLANGE
RATED TORQUE:-	0.38 KG.M to 1,23,360 KG.M
INPUT:-	Hollow to Suit Electric Motor (63 FS to 355 FS) & Solid Shaft



WORM PLANETARY GEARBOXES

MODEL:-	30P1501 - 150P4511
RATIO:-	26.6:1 upto Customer Demand
INPUT POWER:-	0.18 kw to 11 kw (0.25 HP TO 15 HP)
MOUNTING:-	FOOT, FLANGE
RATED TORQUE:-	12 KG.M to 8,000 KG.M
INPUT:-	Hollow to Suit Electric Motor (63 FS to 160 FS) & Solid Shaft






INLINE HELICAL GEARBOXES

MODEL:-	M 12 TO M 150 & M 102 TO M 162
RATIO:-	5:1 TO 100:1 & 150:1 TO 3200:1 (In Double reduction)
INPUT POWER:-	0.37 Kw to 7.5 kw (0.5 HP TO 10 HP)
MOUNTING:-	FOOT, FLANGE, FOOT WITH FLANGE & DOUBLE HAND SOLID SHAFT
TORQUE:-	15 NM TO 1500 NM
INPUT:-	Hollow to Suit Electric Motor (71 FS to 132 FS) & Solid Shaft

NMRV SERIES WORM REDUCTION GEARBOXES

MODEL:-	NMRV 30 TO NMRV 150
RATIO :-	7.5:1 TO 100:1 & 112.5:1 TO 10000:1 (In Double reduction)
INPUT POWER:-	0.18 Kw to 11 kw (0.25 HP TO 15 HP)
MOUNTING:-	FOOT, FLANGE & UNIVERSAL
TORQUE:-	UP TO 250 NM
OUTPUT SHAFT:-	Hollow to Suit Electric Motor (63 FS to 160 FS) & Solid Shaft



MOTORS & GEARBOXES

**Manufacturer of 3 Phase & 1 Phase Electric Motors,
Industrial Gearboxes & Gearmotors**

JMB Power Transmission

Jatin B. Patel
+91 96014 13322

Maulik B. Patel
+91 99090 06784

📍 23, Yamuna Industrial Estate Part-2, Nr. Chirag Estate, On Canal, C.T.M,
Amraiwadi, Ahmedabad, Gujarat – 380026

✉ jsepowertrans@gmail.com

🌐 www.jsepower.in